



Product Brochure

800-458-0199

XtremeBoats.Com




Thank You for taking time to Shop Xtreme!

Raw Materials

Xtreme: Building the finest boat requires using the best available materials. We acquire aluminum from the absolute highest quality sources available using strictly 5052/5086 Marine sheet metal throughout construction - even in areas that do not have direct contact with marine elements. Welding wire is strength matched, marine grade alloy ensuring that electrolysis doesn't quickly destroy the most vital part of your boat - the welds.

Hull Design

Xtreme boats feature 100% welded all aluminum hulls that are lighter, more durable and cheaper to repair than composite material hulls. We have always used longitudinal stringers even before it became the industry standard. Our hulls utilized a minimum thickness of 0.125" and a maximum thickness of 0.190 with lengths from 13' to 20' and widths from 42" to 72". **Xtreme** boats is proud to offer a wide range of hull designs to suit your needs to include: Flat Bottom, Modified-V aka "Semi-V," V-Hull, and a Catamaran hull. Both jet and prop tunnels are available.



Technology

Xtreme: When you decide to have us build your custom boat, it will be built to your specifications exactly as ordered. The hull, framework, and interior features will all be designed using the latest 3-dimensional (3D) Computer Aided Design (CAD) technology. Once the design is complete, we electronically transfer your design to our CNC plasma table for precision cut components. This ensures that every component fits perfect without gaps or cuts, resulting in stronger welds and a superior finished product.

Custom Built Aluminum Trailers

Xtreme: Our boats are custom fitted to an aluminum **Xtreme Trail** trailer utilizing the highest quality components. Galvanized (inside/out) torsion axles provide a long worry-free life without shackles/springs to rust out down the road. All trailers come with roller jacks, submersible LED lights, aluminum winch stands, UV resistant rollers, composite covered bunks (for electrolysis protection), and corrosion resistant hardware. Tongue weight is balanced to ensure proper towing for stress-free long hauls – long hauls that you'll save fuel on verses a heavy galvanized or plain steel trailer!



Options



GUN TRAY



STORAGE BOX/LIVEWELL



GRAB RAIL



GRAB RAIL
W/SEAT



BOX SEAT W/
NORMAL STAND
UP CONSOLE
AND STEP



EXTRA GUNNEL
RAIL




CARPET W/ VINYL



NORMAL STAND
UP CONSOLE
WIDE



STAND UP
TALL
CONSOLE



SPONSONS WITH LADDER



HIGH LEANING POST/
REAR FISHING SEAT



BRUTE 1860



REMOVABLE FRONT SEAT



SWIM LADDER


Options



HYDRAULIC STICK




REAR PORT STORAGE



JET TUNNEL



STANDARD PRO DECK



REMOVABLE TONGUE



PROP TUNNEL




TACKEL TRAY



LATCH ANTI-RATTLE LOCKABLE



LATCH T-HANDLE RECESS LOCKABLE



STATIC JACKPLATE



EXAMPLE BASS LAYOUT



EXAMPLE FLATS LAYOUT

River Skiff

A rugged, flat bottom boat available with 0.125" or 0.190" hulls, depending on length, and up to 72" bottom width. Available in the classic "Jon"

XTREME BOATS



Standard Configuration

- * Carpeted Interior
- * Front deck, livewell, rod box, port storage
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump
- * Aerator Pump
- * Foot Controlled Trolling Motor
- * Fish Finder
- * Tiller boats do not come wired, with trolling motors or fish finders

ModelModel	Beam	Sides	Max HP
River Skiff 1442 T - 0.125"	62"	20"	25
River Skiff 1542 T - 0.125"	62"	20"	25
River Skiff 1642 T - 0.125"	62"	20"	25
River Skiff 1442 SS - 0.125"	62"	20"	25
River Skiff 1542 SS - 0.125"	62"	20"	25
River Skiff 1642 SS - 0.125"	62"	20"	30
River Skiff 1445 T - 0.125"	67"	20"	25
River Skiff 1545T - 0.125"	67"	20"	25
River Skiff 1645T - 0.125"	67"	20"	30
River Skiff 1445 SS - 0.125"	67"	20"	25
River Skiff 1545 SS - 0.125"	67"	20"	30
River Skiff 1645 SS - 0.125"	67"	20"	40
River Skiff 1448 T - 0.125"	74"	24"	30
River Skiff 1548 T - 0.125"	74"	24"	30
River Skiff 1648 T - 0.125"	74"	24"	35
River Skiff 1448 SS - 0.125"	74"	24"	40
River Skiff 1548 SS - 0.125"	74"	24"	40
River Skiff 1648 SS - 0.125"	74"	24"	60
River Skiff 1454 T - 0.125"	78"	22"	25
River Skiff 1554 T - 0.125"	78"	22"	30
River Skiff 1654 T - 0.125"	78"	22"	40
River Skiff 1454 SS - 0.125"	78"	22"	40
River Skiff 1554 SS - 0.125"	78"	22"	50
River Skiff 1654 SS - 0.125"	78"	22"	60
River Skiff 1654 SC - 0.125"	78"	22"	60
River Skiff 1654 CC - 0.125"	78"	22"	60
River Skiff 1654 Bass - 0.125"	78"	22"	60
River Skiff 1654 Flats - 0.125"	78"	22"	60

Optional Components

- * Painted Outside
- * Gloss Paint
- * Liner
- * Custom Interior Layout
- * Advanced GPS Systems
- * Hydraulic Jackpate
- * And more

Design Features

- * All welded Hull
- * Largest footprint = least draft
- * Most stable mono-hull design
- * Most interior space
- * No tunnel required for Jet Motors
- * Least expensive design
- * Longitudinal external Stringers for added toughness and handling
- * Fully boxed in subfloor

Skiff ideal for shallow water
swamps, bayous, creeks, rivers,
lakes and bays

Micro X



XTREMEBOATS

Standard Configuration

- * Grab Handle
- * Front and rear deck
- * U-Pol Raptor lined interior
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump

Optional Components

- * Painted Outside
- * Gloss Paint
- * Advanced GPS Systems
- * Front Casting Step

<i>Model</i>	<i>Beam</i>	<i>Sides</i>	<i>Max HP</i>
Micro 1345 T	63.5"	14"	20
Micro 1445 T	63.5"	14"	20
Micro 1545 T	63.5"	14"	25
Micro 1645 T	63.5"	14"	30

Design Features

- * All welded Hull
- * Double floor
- * Fully foamed under all floors and decks
- * Fully boxed in subfloor
- * Custom 1.9-inch gunwale rail
- * Easy Tiller Steering

XTREMEBOATS



Less draft than V-hull, more stable than V-hull, better handling than flat bottom hull, tunnel not required for jet motors, our most popular hull design!

Brute

Standard Configuration

- * Carpeted Interior
- * Front deck, livewell, rod box, port storage
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump
- * Aerator Pump
- * Foot Controlled Trolling Motor
- * Fish Finder
- * Tiller boats do not come wired, with trolling motors or fish finders

Optional Components

- * Painted Outside
- * Gloss Paint
- * Liner
- * Custom Interior Layout
- * Advanced GPS Systems
- * Hydraulic Jackpate
- * And more

Design Features

- * All welded Hull
- * Longitudinal external Stringers for added toughness and handling
- * Fully boxed in subfloor
- * Custom 1.9-inch gunwale rail

Brute Advantages

- * Less draft than Full-V
- * More stable than Full-V
- * Better handling than Flat Hull
- * No tunnel needed for jet motors

Model	Beam	Sides	Max HP
Brute 1448 T - 0.125"	74"	24"	30
Brute 1548 T - 0.125"	74"	24"	30
Brute 1648 T - 0.125"	74"	24"	35
Brute 1448 SS - 0.125"	74"	24"	40
Brute 1548 SS - 0.125"	74"	24"	40
Brute 1648 SS - 0.125"	74"	24"	60
Brute 1454 T - 0.125"	78"	22"	30
Brute 1554 T - 0.125"	78"	22"	30
Brute 1654 T - 0.125"	78"	22"	40
Brute 1454 SS - 0.125"	78"	22"	40
Brute 1554 SS - 0.125"	78"	22"	60
Brute 1654 SS - 0.125"	78"	22"	60
Brute 1654 SC - 0.125"	78"	22"	60
Brute 1654 CC - 0.125"	78"	22"	60
Brute 1654 Bass -	78"	22"	60
Brute 1654 Flats -	78"	22"	60
Brute 1448 T - 0.190"	74"	24"	30
Brute 1548 T - 0.190"	74"	24"	35
Brute 1748 T - 0.190"	74"	24"	40
Brute 1448 SS - 0.190"	74"	24"	40
Brute 1548 SS - 0.190"	74"	24"	50
Brute 1648 SS - 0.190"	74"	24"	60
Brute 1748 SS - 0.190"	74"	24"	60
Brute 1648 SC - 0.190"	74"	24"	60
Brute 1748 SC - 0.190"	74"	24"	60
Brute 1660 SS - 0.190"	87"	24"	60
Brute 1760 SS - 0.190"	87"	24"	60
Brute 1860 SS - 0.190"	87"	24"	60
Brute 1660 SC - 0.190"	87"	24"	60
Brute 1760 SC - 0.190"	87"	24"	90
Brute 1860 SC - 0.190"	87"	24"	115
Brute 1660 CC - 0.190"	87"	24"	60
Brute 1860 CC - 0.190"	87"	24"	115
Brute 1660 Bass -	87"	24"	60
Brute 1860 Bass -	87"	24"	115
Brute 1660 Flats -	87"	24"	60
Brute 1860 Flats -	87"	24"	115
Brute 1872 SC - 0.190"	96"	24"	150
Brute 2072 SC - 0.190"	96"	24"	150
Brute 1872 CC - 0.190"	96"	24"	150
Brute 2072 CC - 0.190"	96"	24"	150
Brute 1872 Flats -	96"	24"	150
Brute 2072 Flats -	96"	24"	150

V-hulls: smoothest mono-hull in rough water, superior handling in turns, most efficient mono-hull design, tunnel options available for both jet and prop



Standard Configuration

- * Carpeted Interior
- * Front deck, livewell, rod box, port storage
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump
- * Aerator Pump
- * Foot Controlled Trolling Motor

Optional Components

- * Painted Outside
- * Gloss Paint
- * U-Pol Raptor Liner
- * Custom Interior Layout
- * Advanced GPS Systems
- * Hydraulic Jackpate
- * And more

Model	Beam	Sides	Max HP
PRO 152 SS	74"	24"	60
PRO 162 SS	74"	24"	60
PRO 172 SS	74"	24"	60
PRO 162 SC	74"	24"	60
PRO 172 SC	74"	24"	60
PRO 162 Bass	74"	24"	60
PRO 172 Bass	74"	24"	60

Design Features

- * All welded Hull
- * Longitudinal external Stringers for added toughness and handling
- * Fully boxed in subfloor
- * Custom 1.9-inch gunwale rail

Pro Jet Advantages

- * Excels in moderate to heavy choppy waters
- * Extremely efficient hull design
- * Most spacious boat per width and length
- * Unmatched stability compared to other hull designs

Pro Jet

XTREME BOATS



Standard Configuration

- * Carpeted Interior
- * Front deck, livewell, rod box, port storage
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump
- * Aerator Pump
- * Foot Controlled Trolling Motor

Optional Components

- * Painted Outside
- * Gloss Paint
- * Liner
- * Custom Interior Layout
- * Advanced GPS Systems
- * Hydraulic Jackplate
- * And more

Model	Beam	Sides	Max HP
PRO JET 1654 SS	78	22"	60
PRO JET 1754 SS	78	22"	60
PRO JET 1654 CC	78	22"	60
PRO JET 1754 CC	78	22"	60
PRO JET 1754 Flats	78	22"	60
PRO JET 1760 SS	88"	24"	90
PRO JET 1860 SS	88"	24"	90
PRO JET 1760 CC	88"	24"	90
PRO JET 1860 CC	88"	24"	90
PRO JET 1760 Flats	88"	24"	90
PRO JET 1860 Flats	88"	24"	90
PRO JET 1872 CC	96"	24"	115
PRO JET 2072 CC	96"	24"	115
PRO JET 1872 Flats	96"	24"	115
PRO JET 2072 Flats	96"	24"	115

Design Features

- * All welded Hull
- * Longitudinal external Stringers for added toughness and handling
- * Fully boxed in subfloor
- * Custom 1.9-inch gunwale rail

Pro Jet Advantages

- * Excels in moderate to heavy choppy waters
- * Extremely efficient hull design
- * Most spacious boat per width and length
- * Unmatched stability compared to other hull designs
- * Shallower draft compared to other V bottom boats



Model	Beam	Sides	Max HP
XT 162 SS	88"	24"	60
XT 172 SS	88"	24"	60
XT 182 SS	88"	24"	60
XT 162 SC	88"	24"	60
XT 172 SC	88"	24"	90
XT 182 SC	88"	24"	115
XT 162 CC	88"	24"	60
XT 172 CC	88"	24"	90
XT 182 CC	88"	24"	115
XT 162 Bass	88"	24"	60
XT 172 Bass	88"	24"	90
XT 182 Bass	88"	24"	115
XT 162 Flats	88"	24"	60
XT 172 Flats	88"	24"	90
XT 182 Flats	88"	24"	115
XT 1872 SC	96"	24"	150
XT 2072 SC	96"	24"	150
XT 1872 CC	96"	24"	150
XT 2072 CC	96"	24"	150
XT 1872 Bass	96"	24"	150
XT 2072 Bass	96"	24"	150
XT 1872 Flats	96"	24"	150
XT 2072 Flats	96"	24"	150

Standard Configuration

- * Carpeted Interior
- * Front deck, livewell, rod box, port storage
- * All aluminum custom build Xtreme trailer
- * Fuel Tank
- * Navigation and Anchor Lights
- * Bilge Pump
- * Aerator Pump
- * Foot Controlled Trolling Motor
- * Fish Finder

Optional Components

- * Painted Outside
- * Gloss Paint
- * Liner
- * Custom Interior Layout
- * Advanced GPS Systems
- * Hydraulic Jackpate
- * And more

XT Advantages

- * Excels in moderate to heavy choppy waters
- * Extremely efficient hull design
- * Most spacious boat per width and length
- * Unmatched stability compared to other hull designs

Design Features

- * All welded Hull
- * Longitudinal external Stringers for added toughness and handling
- * Fully boxed in subfloor
- * Custom 1.9-inch gunwale rail

X TREMEBOATS

X Cat Catamaran

Standard Configuration

- * Painted Aluminum Center console
- * Leaning post
- * Front and rear deck
- * Fish finder
- * Hydraulic helm
- * Live well
- * Lined interior
- * Wired for trolling motors
- * All aluminum custom build Xtreme trailer

Optional Components

- * T-Tops
- * Polling Platforms
- * Custom Seating Layouts
- * Gloss Paint
- * Trolling Motor Options
- * Advanced GPS Systems
- * Hydraulic Jackplates

<i>Model</i>	<i>Beam</i>	<i>Sides</i>	<i>Max HP</i>
Cat 1760 CC	77"	30"	115
CAT 1860 CC	77"	30"	115
Cat 1960 CC	77"	30"	115
Cat 1766 CC	83"	30"	150
Cat 1866 CC	83"	30"	150
CAT 1966 CC	83"	30"	150
CAT 2066 CC	83"	30"	175
Cat 1870 CC	87"	30"	175
Cat 1970 CC	87"	30"	175
Cat 2070 CC	87"	30"	200
Cat2170 CC	87"	30"	200
Cat 1760 SS	77"	30"	90
Cat 1860 SS	77"	30"	90

Design Features

- * .125 Thick Aluminum Hull
- * Fully Foamed pontoons
- * 15 Degree planning hull pontoons
- * 30 inch standard sides

Catamaran Advantages

- * Excels in moderate to heavy choppy waters
- * Most efficient hull design
- * Most spacious boat per width and length
- * Shallower draft than a normal V bottom boat
- * Unmatched stability compared to other hull designs
- * Steering options include: Stick and Console



Xtreme Boats is a privately owned company founded in 1999 in NW Florida. We opened to build the highest quality, hand-made hulls by utilizing only the most skilled craftsman and latest techniques. We take pride in building our hulls one at a time and hope you take the time to visit with us and see the quality first hand.

Our goal is produce the highest quality aluminum boats on the market at prices that are attainable by everyday fishermen. We believe that a custom designed boat will provide an exponentially more satisfying experience compared to a mass-produced boat. We wish to bring this experience to those that are typically buying and using mass-produced boats.

XTREMEBOATS.COM

1-800-458-0199

xtremeboatinfo@gmail.com

Visit us on Facebook

facebook.com/xtremeboatsflorida/



Outboard Selections Include:



MERCURY

